


AC charger Poles & Pole Base

Detailed specification lists



Detailed specification list - Poles

Name	Single Pole	Dual Pole
	Floor Mount	Floor Mount



Number of chargers	1 2
Installation method	Floor mount
Material	Aluminum pole and stainless-steel base
Finish	Double layer powder coating, RAL 9004
Weight	+- 5 kg
Dimensions incl. base [H x W x D, mm]	1447x167x160
Dimensions mounting holes (diameter)	12 mm
Center-to-center mounting distance	125 mm



Detailed specification list - Pole Base

Content of the box	Installation bag with screws2 x 2 metal sheets
Material metal sheets	Magnelis
Material screws	Stainless steel
Screw dimensions	M10 x 20 mm
Packaging dimensions [H x W x D, mm]	590 x 40 x 300
Pole base dimensions	See image on page 3
Weight	7.4 kg

Transportation, storage - Poles & Pole Base


Ambient temperature	-40 °C to +85 °C
Relative humidity range	5% to 95%

Operation - Poles & Pole Base

Ambient temperature	-30 °C to +50 °C
Relative humidity range	5% to 95%



Pole base dimensions





THE INFORMATION IN THIS DOCUMENT IS FOR MARKETING PURPOSES ONLY, IS PROVIDED AS IS, AND MAY BE SUBJECTED TO CHANGE WITHOUT NOTICE.

The latest version of this publication can be downloaded at https://www.peblar.com/downloads
While reasonable efforts are undertaken to ensure that this information is correct, we cannot guarantee that the information provided is completely free from inaccuracies. We are not liable for possible inaccuracies or completeness of information. The full product and warranty conditions are set out in the General Terms and Conditions.

All product names, trademarks, and slogans, whether registered or not, remain our intellectual property and may not be used without our prior written permission. The listing of name, logo or product of any third party is not intended to imply any endorsement or direct affiliation with Peblar and is purely for demonstrational purposes, unless otherwise stipulated.

Reach out to sales@peblar.com for inquiries.

© 2025 by Peblar. All rights reserved.

