



Certificate Holder: Prodrive Technologies N.E.B.V.  
Science Park Eindhoven 5501  
NL-5692 EM Son  
Netherlands



BNetzA-bS-02/51-52

authorized by the German Government to act as Notified Body in accordance with the RE Directive 2014/53/EU of 16 April 2014.

Product Manufacturer: See Certificate Holder

Product Designation: WLAC1-xxxxxxxxxxxxx, WLAC2-xxxxxxxxxxxxx

Product Description: AC Charger

Conformity Assessment:

Essential requirements	Examined documentation	Result
RED, Article 3.3d	Technical documentation including test report(s)	conform
RED, Article 3.3e	Technical documentation including test report(s)	conform
RED, Article 3.3f	Technical documentation	N/A

EU Type Examination Certificate:

In accordance with Annex III of the European Council Directive 2014/53/EU on radio equipment, we state that the identified equipment type complies with the essential requirements stated above. The scope of this evaluation relates to the submitted documents only.

Marking:

The product shall be marked with the CE marking as required in the Council Directive 2014/53/EU.

Annexes:

The certificate is only valid in conjunction with the following number of annexes: 1

Validity:

The validity of this certificate is limited to 5 years after the date of issue. Revisions of the applied standards and/or modifications of the approved type that may affect the conformity of the radio equipment with the essential requirements of Directive. 2014/53/EU may also have an impact on the validity of this certificate.

Certificate Registration No.: EU26-0008-01-TEC

cetecom advanced GmbH

Authorized signature / title



## Product Characteristics:

<b>Hardware version:</b>	WLAC1: 6001-2332-1602		
<b>Software version:</b>	WLAC2: 6001-2332-1604 1.7.1 and 1.8.0		
<b>GSM / LTE:</b>			
Frequency band(s):	GSM 900/1800 / LTE (FDD 1,3,8,20,28)		
Power class:	GSM 900: 4 / GSM 1800: 1 / LTE: 3		
<b>IEEE 802.11b/g/n:</b>			
Operating frequency range:	2400 – 2483.5 MHz	EIRP:	≤ 20 dBm
Number of channels:	13	Modulation:	DSSS, OFDM
<b>NFC:</b>			
Operating frequency:	13.56 MHz	Radiated H-field:	≤ -20 dBμA/m @ 10 m
<b>Other characteristics:</b>			
Operating temperature:	-30 – 50 °C		
Power supply:	3x230/ 400 VAC		

## Conformity Assessment:

Essential requirements	Examined documentation
<a href="#">RED Article 3.3d, e</a>	EN 18031-1:2024, EN 18031-2:2024  -No.: ES_011211 issued by ceteqcom advanced GmbH -Technical documentation issued by Prodrive Technologies N.E. B.V.

## Miscellaneous:

Note: Model identification string

To identify the product configurations, the following model identification string is used.

